



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



□□□ □□□ □: □□ □□□.□□ □□□□.□□ □□□ □□ □□ □□□ □□□

Details

၀၀ ၀၀: ၀၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀၀ ၀၀၀ ၀၀ ၀၀ ၀၀ ၀၀၀၀. ၀၀၀ ၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀၀ ၀၀ ၀၀၀၀၀ ၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀၀၀.
 ၀၀၀ ၀၀၀ ၀၀ ၀၀၀, ၀၀ ၀၀ ၀၀, ၀၀ ၀၀၀ ၀၀၀၀ ၀၀၀၀၀. ၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀၀၀ ၀၀၀ ၀၀၀ ၀၀၀.

□□□□: 2026 10 20 . □□: □□□ □□ □□□, □□ □□ □□ □□□, □□ □□ □□(□□ □□ □□)

[illegible]

註釋： 國際貿易中心 的 貿易 中心 組織 是 由 該 中心 組織 的 組織。 該 [Promotional Products Association International\(PPAI\)](#)^[1] 是 國際 貿易 中心 的 組織。 該 中心 是 由 該 中心 組織 的 組織， 該 中心 是 由 該 中心 組織 的 組織。 該 中心 是 由 該 中心 組織 的 組織。

0 000 000 00: 000000 00000 0000 0000 00 0000 0000 0000 00 00 0000 0000 00 0 0 00000. 0000 00 00 0000 00 0 00000. 0000 0000 00 00 0 0000 0000 00 0000, 00 0000, 0000 00000 00 00 0000 00 0 0 00000.


[illegible]

11

1. 0000 0000 0000? 00 00 00
2. 0000 00 0000 0000
3. 0000 00000 0000 0000 00 00 00000 0000 0000
4. 0000 00 00 0000 0000 00000
5. 00 0000 0000 00000 00000 00000 0000 00
6. 00 0000 0000 00000 00 0000 00
7. 00 00 00
8. 00 00

□□□ □□□ □□□? □□ □□ □□

[illegible][illegible]




ඔබ ඔබගේ පින් එකක් සාදා ගැනීමට අවබෝධයක් ඇත්නම්, ඔබට මෙය කළ හැකිය. මෙය ඔබගේ පින් එකක් සාදා ගැනීමට ඔබට අවබෝධයක් ඇත්නම්, ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය: [ඔබගේ පින් එකක් සාදා ගැනීම](#).

ඔබට ඔබගේ පින් එකක් සාදා ගැනීමට අවබෝධයක් ඇත්නම්, ඔබට මෙය කළ හැකිය. [r/EnamelPins](#) [ඔබගේ පින් එකක් සාදා ගැනීම](#)^[2] ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය.


ඔබගේ පින් එකක් සාදා ගැනීම

ඔබට ඔබගේ පින් එකක් සාදා ගැනීමට අවබෝධයක් ඇත්නම්, ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය.

- ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය.
- ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය.
- ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය. ඔබට මෙය කළ හැකිය.



[illegible][illegible]

[illegible]

□□□□ □□□□ □□ □□ □□□□ □□□□□□:

- [illegible]

[illegible][illegible][illegible]

1. 圖檔格式為 RGB 色彩模式。圖檔大小為 300 DPI，圖檔尺寸為 3000 像素寬 x 3000 像素高。圖檔命名為「圖檔名稱」。
2. 圖檔格式為 CMYK 色彩模式。圖檔大小為 300 DPI，圖檔尺寸為 3000 像素寬 x 3000 像素高。圖檔命名為「圖檔名稱」。
3. 圖檔格式為 AI、EPS 或 PDF。圖檔命名為「圖檔名稱」。
4. 圖檔格式為 AI、EPS 或 PDF。圖檔命名為「圖檔名稱」。
5. 圖檔格式為 AI、EPS 或 PDF。圖檔命名為「圖檔名稱」。
6. 圖檔格式為 AI、EPS 或 PDF。圖檔命名為「圖檔名稱」。

7. 000 0 00 00 0000 0000. 00 000000 0000 00 0 00000. 0 00000 [00000-00-000](#)^[6] 00 0 30(000 50 0)0 0000 0 0 0000 00000000. 00 0000 0000 0000 0000 00, 00 0000, 00 0000 00 00 00 000000.
8. 00 0000 00 00 0000 000000. 00 00, 00 00, 0000 00000000 00 00 00 00000 00000 0000 0 00000. CPSC0 [0-0-00](#) [00](#)^[7] 00 00000 00 0000 0 0000 100 ppm 0000 0000000. 0000 00000 0000 CPSC0 [00-00-000](#)^[8] 0000, 00000 ASTM F963 0000 0000000. EU0 0000 00000 00, [EU-00-0-00-000](#)^[9] 0 00 00 0000 0-00000 00 0000 0000000. “00 0”0 00 00 0000 0000 0000, 0000 0 [00-00-0000](#)^[10] 00000 00000 00 000000. 0000 0 00 00 00 0000 00 00 00000000 000000.



000 0000 0000 000000 00 0000 00

00 00 0000 0000 00000 0000000000. 0000 00 0000 0000000 00 00000 0000000: [00-0000-0-0000](#).

000 00	000 00	00	0000000 0000 00
00000 00 0000 0000	0000 0000, 0000 00	00000 00 00 00 0000 00 0000, 0000 00 00 00000 0 00	00 0000 00 00 0 00 00, 00 00
00 00 00	00000 00 0000 0000	00 0000 00 00 00 00 0000 00 0 00, 00 00 00 00000 00 0000	00 0000 0000 00000000, 00000 00 00 00
0000 00 00 0000000 0	00000 0000 000000 00 0 0000 0000	0000 00 00, 0000 00, 00 00	0000 00, 00 00, 00 0000
00 0000 00 0000	0000 0000	00 00 0000 0000000 0000000, 00000 00 0 00 00 0000 00 0000 0000	00000 00 00 00, 00000 00 0 00
0000 00 00 00 0000 0	00000 00 0000 0000	00000 000000 00 000000 000000 0000	0000 00 00, 00 00
00 00 00 0000 0000	00 0000	000000 00000 00000 000000 0 0 00 0000 0 00	00 00 00 00, 00 00
00000 000000000 000000000 00 00000	00 00 0000000 00 0 00	00 00000 000000000 0000 0 00	00 0000, 00 0000

00 0000 0000, 00000 0 00000 0000 [DataIntel00-0-00-000-0000](#)^[11] 0 0000 0000 00000 00000 0 00 0 00 0000 0000 00 0000 0000000: 0 \$2.8B. 0 0000 0000 00 00 0000 00 00000. 00000 0000 00 00 0000 0000, 0000 0000 00000 0000 0000.

□□ □□ □□: □□□ □□□ □□ □□ □□ □□□ □□□ □□□□□?

මම මගේ, මම මම ම ම මගේ. මම මගේ මම මම මගේ ම මම මගේ. මම, මම මම, මම මම මම ම මම මගේ. මම මම මම මම, මම, මම, මම මම, මම මම මම ම මම මගේ.

□□ □□ □□: □□□ □□□ □□ □□□ □□ □□□□ □ □□□□?

0, 00 000 000 000 000 000000. 000 0000 00000 000 00 0000, 000 0000 000, 000000 000 00 000 000 000 00 000. 0000 00 000 0000 000 000 000 000 0000 00 0 0 0000.

□□ □□ □□: □□□□ □□□ □□□ □□□□ □□ □□□□ □□□□?

[illegible]

□□ □□ □□: □□□ □□□□ □□□□□□ □□□ □□□ □ □□□?

በጥንቃቄ ይመለከቱ። በጥንቃቄ ይመለከቱ በጥንቃቄ ይመለከቱ። በጥንቃቄ ይመለከቱ በጥንቃቄ ይመለከቱ, በጥንቃቄ ይመለከቱ።

□□ □□ □□: □□ □ □□ □□ □□□□ □□ □□ □□□ □□□ □□□?

[illegible]

□□ □□ □□: □□□ □□ □□□ □□ □□□□ □□□?

[illegible]

00 00 00: 0000 0000 00 0000 00 00 0000 00 00 00000?

00000 0 0 0000, 00000 00000 0000 CPSC 0 00 0000, 0000 ASTM F963 0000 00000 0000. 000000 00 00 00 00 00 0000
0000 00 00 00 00000 0000000.

11/11

- 000000 000 0 000 0 00 00 0000 000000, 00000 00 000 0000 00 000000 00 00 00 000000 — 300 00: 00, 000+000, 00 000 (00)
- 00000 000 00 000 0000 0 0000 00 00 000 00 000000 — 0 0000 0000 15-2000 000000 (00)
- 00 00 000 00 000 0000 0000 0000 000 — 000 0 0000 0 30(00 50 0)0 000 00 000 000000 (00)
- 000000 00 00 000 0 00 000 0000 — 0000 00 000 0 0 00 00 100 ppm (00)
- 000 00000 00 00 0000 00 00 00 000 0000 000 — ASTM F963 (00)
- 00000 000 000000, 00000 00 00000 0000 00 00 0000 00 0000 — 0 00 0 00 00 0000 0 \$2.8B (00)

□□ : □□□ □□ □□□ □□□□

[illegible]

製品、その品質、その価格を比較検討する。その結果、硬質エナメル製品は、軟質エナメル製品よりも、より良い品質の製品を提供する。また、硬質エナメル製品は、軟質エナメル製品よりも、より低い価格で提供される。したがって、硬質エナメル製品は、軟質エナメル製品よりも、より良い品質の製品を提供する。また、硬質エナメル製品は、軟質エナメル製品よりも、より低い価格で提供される。したがって、硬質エナメル製品は、軟質エナメル製品よりも、より良い品質の製品を提供する。

参考文献

1. Promotional Products Association International, “2024 PPAI Sales Volume Report.”
<https://www.ppai.org/wp-content/uploads/2025/02/2024-PPAI-Sales-Volume-Report.pdf> ↵
2. Reddit r/EnamelPins, “Do you prefer hard or soft enamel?” (2024).
https://www.reddit.com/r/EnamelPins/comments/1ezvowi/do_you_prefer_hard_or_soft_enamel/ ↵
3. Reddit r/EnamelPins, “Less than 50 MOQ for enamel pins?”
https://www.reddit.com/r/EnamelPins/comments/1ab5po0/less_than_50_moq_for_enamel_pins/ ↵
4. Reddit r/EnamelPins, “What is everyone’s preference perceived value of?” (2025).
https://www.reddit.com/r/EnamelPins/comments/1i4qa4q/what_is_everyones_preferenceperceived_value_of/ ↵
5. Reddit r/EnamelPins, “Soft or hard enamel for details?” (2025).
https://www.reddit.com/r/EnamelPins/comments/1metx4f/soft_or_hard_enamel_for_details/ ↵
6. Reddit r/EnamelPins, “Any good websites for making enamel pinsthinking?” (2025).
https://www.reddit.com/r/EnamelPins/comments/1mldsli/any_good_websites_for_making_enamel_pinsthinking/ ↵
7. CPSC, “CPSC.”
<https://www.cpsc.gov/Business--Manufacturing/Business-Education/Lead/Total-Lead-Content> ↵
8. CPSC, “Toy Safety.”
<https://www.cpsc.gov/Business--Manufacturing/Business-Education/Toy-Safety> ↵
9. EUVerify, “EU UK safety regulations for enamel pins.”
<https://euverify.com/resource/eu-uk-safety-regulations-for-enamel-pins/> ↵
10. Reddit r/EnamelPins, “How safe are enamel pins material?”
https://www.reddit.com/r/EnamelPins/comments/1g7khmn/how_safe_are_enamel_pins_material_e/ ↵
11. DataIntel, “Global Pin Buttons Market.”
<https://dataintel.com/report/global-pin-buttons-market> ↵