Zigpac

Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin Commercial and Residential Building, Longgang City, Wenzhou City, Zhejiang 325802, China

YOUR CUSTOM PRINTING & PACKAGING **PARTNER** FOR SMALL AND **MEDIUM BUSINESSES**

Details

[illegible]: [illegible]. [illegible], [illegible]. [illegible] × [illegible], [illegible](0.125 in / 3.175 mm)[illegible]. [illegible]. [illegible] 2[illegible].

[illegible]. 24 × 36 in [illegible]. [illegible]. [illegible]. [illegible] “[illegible]” [illegible]. [illegible]. [illegible]. [illegible], [illegible], [illegible], [illegible].

[illegible]. [illegible]. [illegible]. [illegible] $79.4 [illegible](2026[illegible])[illegible], [illegible] 50,473[illegible]([illegible][1]). [illegible]. [illegible], [illegible].

[illegible]

1. [illegible] “[illegible]”[illegible]
2. [illegible]
3. [illegible]
4. [illegible]
5. [illegible]
6. [illegible]
7. FAQ
8. [illegible]

[illegible] “[illegible]”[illegible]

[illegible]. [illegible].

- **[illegible]:** [illegible]. [illegible] × [illegible].
- **[illegible]:** [illegible]. [illegible] 0.125 in [illegible] 24 × 36 in [illegible] 24.25 × 36.25 in [illegible].
- **[illegible]:** [illegible]. [illegible], [illegible], [illegible].
- **[illegible]:** [illegible], [illegible], [illegible]. [illegible].

[illegible]. [illegible] USD 6.10 [illegible](2023[illegible])[illegible], [illegible] CAGR[illegible] 10.5%[illegible] 2030[illegible]. [illegible]([illegible][2]). [illegible], [illegible].



□□ □□□ □□□ □□□□ □□

□□□ □□ □□□□ □□□ □□□□ □□□ □□□ □□□ □□ □□□. □□□ □□ “24 × 36” □□□ □ □□□ □□□ □□ □□ □□ □ □□, □□□ □□□□□ □ □□□□□ □□□ □□ □□ □□□ □□ □ □□□□. □ □ □□□□ □□ □□□ □ □□□ □□□. □□ □□□□ □□□ □□ □□ □□□□□ □□□ □□ □□□ □□□.

1. **□□ ID□ □□□□□.** □□□ □□□□ □□, □□ □□ □□, □□ □□□ □□□ ID□ □□□□. □: STORE-014 / ENTRY / SNAP-A. □□□ □□ □□□ □□□□.
2. **□□ □□□□ □□□ □□□ □□□ □□□□□.** □□□□□ □□□ □□□. □□ □□□□ □□□, □□□□□□ □□ □□□□ □□ □□□, □□□ A□ □□□□ □ □□□ □□□ □□□□□.
3. **□□□ □□□□ □□□□□.** □□□□ □□ □ □□□□ □□□□□□ □□□□□□ □□□□□. □ □□□ □□□□ □□□ □□ □□□ □□□ □ □□ □□□ □□ □ □ □□□□□.
4. **□□□ □ □ □□□□□.** □□□ □□·□□□·□□□□□, □□□ □□·□□·□□□□□ □□□□ □□□□. □□□ □ 1/16 in□□ □□ □□□ □□□□ □□□ □ □ □□□□ □□□□. □□ □□ □□□□ □□ □□□□ □ □□□□ □□ □□□ □□□.
5. **□□□ □□□ □□□□□.** □□ □□□ □□ □□, □□□□□ □□□□□ □□□, □□□ □□□□□ □□ □□□□□. □□□ □□ □□□□□□ □□□ □□□ □ □ □ □□□□□.
6. **□□ □□□ □□□□□.** □□□ □□ □□□ □□□□, □□ □□□ □□□□ □□□ □□□□ □□□□ □□□□ □□□□.

□□□ □ □□ □□ □□ □□□□□□□□ □ □□□□. □□ ID, □□, □□□ □□ × □□, □□□ □□ × □□, □ □□ □□□ □, □□, □□ □□, □□(□□ □□ □□ □□□□), □□ □□□ □□□□□. □□□□ □□□ □□□ □□□□□ □□□ □□□. 40□□ “□□ □□” □□□ □□ □□□ □□ □□ □□ □□□□ □□□□ □□ □ □ □□□□.



□□□ □□□ □□□□ □□□ □□ □□

□□□□□ □□□ □□□ □□ □□ □□□ □□□ □□□□□ □□ □□□□. □□□□□ □□□ □□ □□□□□ □□□ □□□ □□□ □□ □□□ □□□ □ □□□□. □□□ □□□ □ □ □□□□□□ □□□□□, □□□ □□□ □□□□□□ □□□□□. □□ □□ □□ □□ □□ □ ISO □□□ □□□ □□□ □□□□ □□ □□□.

□□ (□□ × □□)	**□□□ (mm)**	**□□□□ □□**	**□□□ □□□ □□□□ □□**
11 × 17 in (ANSI B / □□□□□)	279.4 × 431.8	1 : 1.545	□□□□ □ □ □□ □□ □□, □□ □□
12 × 18 in	304.8 × 457.2	2 : 3	24 × 36 in (50% □□)
16 × 20 in	406.4 × 508.0	4 : 5	8 × 10 in (50% □□)
18 × 24 in	457.2 × 609.6	3 : 4	2:3 □□ □□ □□, □□ □□□□ □□
22 × 28 in	558.8 × 711.2	11 : 14	4:5□ □□□□ □□□□ □□
24 × 36 in	609.6 × 914.4	2 : 3	12 × 18 in (200% □□)
27 × 40 in (□□□ 1□ □□□)	685.8 × 1016.0	1 : 1.481	2:3□ □□□□, □□□ □□□ □ □□ □ 0.6 in □□
A1 / A0 (ISO 216)	594 × 841 / 841 × 1189	1 : 1.414	□□ A □□□□ □□ □□ □□□□□ □□□

□□□ □□□ □□ □ □□ □□□ □□ □□ □□□ □ □□□□. 2:3 □□□□□ 18 × 24 in (3:4) □□□□ □ □□□□ □□□ □□□□ 18 × 27 in □□□ □□□□□. □□□□ □□ □□□ 3 in, □ □□□ 11%□□□. □ □□□□ □□□ □□ □□□□□ □□□□ □□□□ □□□□□□ □□ □□ □□□ □□ □□□□. □□ □□ 3:4 □□□ 2:3 □□□ □□ □□□, □□ □□□□ □□□ □□□□ □□ □□□□ □ □□ □□□□□ □□□ □□□□□.

□□ □□□□□□□ □□□ □□ □ □□□□. ISO A □□□ 1 : 1.414 □□□ □□□□□ □□ □□□ □□□ □□□□. A1 □□□□ 24 × 36 in □□□□ □ □□ □□ □□□□□ □□ □□ □□□ □□□□□. □□□ □ □□ ID□□ □□ □□ □□□ □□ □□ □□□.

□□□ □□ □□ □ □□ □□□ □□ □□ □□ □□□

□□□ □□□ □□□□ □□ □□ □□□ □□□□ □□□ □□□□. □ □□□□ □□ □□□□□□ 10 × 15 in □□□□ □□□□□, □□□□ 1 in□ □□□ □□ □□ □□□ □□□ □□ □□ □□□ □□□□□. □ □□ □□□□ 20 × 30 in □□□□ □□□□□ □□□ □□ □□□□ □□□□□ □□□. □□□□ □□□□ □□□ “□□ □□”□ □□□□ □□□ □□□□. □□ □□□ □ □□□ □□□□ □□□ □□ □□□ □ 1/4 in□ □□□□□. □□□□ □□□ □□ □□□□ □□□ □□□□ □□□□, □ □□□□ □□□□ □□□□ □□□□ □□ □ □□□□.

□□ □□ □□□□ □□ □ □□ □ □□□ □□□□□□. □□ □□□ □□□ □□□ □□□□ □□□ □□□□. □□ □□□□□(GPO)□ □□□ □□□□ □□□□(Quality Assurance Through Attributes Program)□ □□□ □□ □□ □□ □□□□ □□ □ □□ □□ □□□ □□□□(GPO QATAP[3]). □□ □□ □□□□ □□ □□□ □□ □ □ □□□□. □ □□ □□□ □□ □□□ □□ □□□ □□□ □□ □ □□□□:

□□	□□ □□(□□□□□ □□ □□ □□ □□)
□□ □□ / □□ ID	SF-01: □□ □□□ SNAP-A, SNAP-B (32□ □□)
□□ □□ □□, □□ × □□	24.000 × 36.000 in (609.6 × 914.4 mm), □□□
□□	□ □□ 0.125 in (3.175 mm), □□ □□□ 24.25 × 36.25 in
□□□ □□□ □□□	□□ □□ □□: 23.25 × 35.25 in (□ □□ □□□ □ 0.375 in)
□□ □□□ □□ □□	□□□ □□□ □□□, □□ □□ □□ □□□ □□ □□
□□ □□	□: □ □□ ±1/16 in (±1.6 mm)
□□□	□: □□□ □□ □□ 1/8 in (24 × 36 in □□□ □□□ □□□ 43.27 in)
□□ / □□ □□	□□ □□, □□ □□□ □ □□□□ □□
□□ □□	PDF/X, □□ □□□ □□ □□ □□

□□ □□ □□□ □□□□ □□□□□. ISO 15930 □□□□ □□□□ PDF/X□ □□□□ □□ □□□ □□□ □□ □□ PDF□ □□□ □□□□□□□. □□ □□□ □□ □□□ □□ □□□ □□ □ □□, □□ □□□□ □□□□ □□□ □□□ □□□ □□□□(PDF/X □□ □□[4]). ISO□ □□□ □□ □□□□ □□, □□, □□ □□ □□□ □□ □□ □□□□ □□□ □□□□□□ □□ □□□ □□□□□(ISO/TC 130 □□[5]). □□□, □□ □□, □□ □□□ □□□ □□□□ □□, □□□□ □□ □□ □ □□ □□ □□ □□□ □□ □□□□ □□□ □□□.

□□□ □□□□□ □□□ □□ □ □□□□. □□ □□□□ □□ □□□□ □□□□□ □ □ □□□ □□ □□□□ □ □□□□. 12 × 18 in □□□ □□□ 24 × 36 in □□ □□□□□ □□ □□□ □□□ □□□□ □□□ □□□, □□ □□ □□□□ □□□ □□□□ □□□ □□ Idealliance G7 □□ □□ □□□ □□□ □□□ □□ □□□□ □□□□□□□□□ □□□□□(Idealliance G7[6]).

□□□ □□□ □□ □□□ □□□ □□□ □□

□□ □□□□ □□ □□□ □□□ □□□ □□□ □ □□ □□□. □□ □□ □□□□ □ □ □□□□□, □□ □□□ □□□□□ □□ □□□□ □□□□□. □□□ □□ □□□ □ □□ □□□ □□ □□ □□□□□ □□□□(□□□ □□ □□□ □□ □□□[7]), □□□□ □□□ □□□□ □□ □□ □□□ □ □□□□□. □□ □□ □□□ 54 in □□ □ □□□, □□□□ □□ □□□ □□ □ □□□ □□ □□ □□□ □□□□ □□□□□.

□□ □□ (□□ × □□)	**□□ 0.125 in □□**	**54 in □□□ □□ □□**	**□□ □**
24 × 36 in	24.25 × 36.25 in	□□ 2 □□ (48.5 in)	5.5 in (10.2%)
26 × 38 in (□□)	26.25 × 38.25 in	□□ 2 □□ (52.5 in)	1.5 in (2.8%)
28 × 40 in (□□)	28.25 × 40.25 in	□□ 1 □□, □□ (40.25 in)	13.75 in (25.5%)

□ □□□ □ □□□ □ □ □□□□. □□, □□ □□□ □□□ □ □□ □□ □□□□. □ □□□□ 26 × 38 in □□□□ “□□” 24 × 36 in□□ □□ □□□ □□□□. □□, □□ □□□ □ □□□□□ □ □ □□□□. □□ 26 to 28 in□ □□□ □□□ □□ □ □□□ □ □□□ □□□□, □□□ □ □□ □□□□ □□ □□□ □□ □ □□ □□□. □□ □□ 28 × 40 in □□□ □□□ □□□ □□□, □□□ □□□□ □□ □ □□□ □□□□ □□ 26.5 in □□□□ □□□□□ □□□ □ □□□□.

□□□ □□□ □□□ □ □□ □□□ □□□□. □□ □□□ □□ □ □□□ □□ □□, □□, □□ □□, □□ □□□ □□ □□□□□. □□ □□□ □□□ □□□□□ □□ □□ □□□□, □□ □□□ □ □□ □□□□ □□ □□ □□□□□ □□□ □□□ □□□ □□□□□. □□ □□ □□□ □□□ □□ □□□ □□□ □□□ □□ □□□ □□ □□□ □ □□ □□□ □ □□□ □□□ □□ □□□□ □□ □□□. □□□ □□ □ □□ □□□ □□ □□, □ □□□ □□□ □□□□□ □□ □□□□□□.



□□□ □□

□□ □□□□ □□ □□, □□□, □□□ □□□ □□□ □□□□. □□□ □ □ □□ □□□ □□□ □□□□ □□ □□□ □□□ □□□ □□□□□.

□□	□□□ □□□ □□□ □□	□□□ □□ vs. □□ □□	□□ □□	□□□ □□
□□ □□□(□□□□, □□□ □□ □□)	□□. □□□□ □□ □□□□ □□ □□□ □□	4□ □ □□□□ □□□□ □□□ □ □□ □□□	□□ □□ × □□, □□□ □ □ × □□, □ □□ □□□ □	□□□□□□ □□□ □□□ □□ □ □□
□□□ □□□ □□□ / □□ □□ □□□	□□ □□ □□ □□□	□□□ □□□□□ □□□	□□ □□ × □□, □□ □□, □□□	□□□ □□□ □□□ □□ □□ □ □□
□□□□□(□□□□)	□□ □□, □□□ □□ □□ □□□	□□□. □□□□□ □□ □□□ □□	□□□ □□ × □□, □□□, □□□ □□ □□	□□□□ □□ □□ □□, □□□□ □□□□ □□□□□ □□□ □□
A□ □□□ / □□ □□	□□□ □□ □□ □□□□□ □□	□□□□ □□□□ □□ □□□□□ □□	□□ □□ × □□, □□ □□	□□□ □□□ □□□ □□
□□□ □□ / □□□ □□□	□□□ □□ □□ □□	□□□ □□□ □□□□ □□□□ □ □□ □□□□□ □□ □ □□	□□□ □□, □□ □□	□□ □□□ □□□ □□ □□□
□□ □□□□□(□□ □)	□□ □□□ □□□	□□□□ □□□ □□□□ □□□	□□□ □□ □□ □□ × □□	□□□□ □□ □□□□ □□

□□□□□□ □□□□ □□□□□ □□ □□□ □□□□ □ □□□ □ □□□□ □□□□□ □□□ □□□ □□□□□. ISO□ □□ □□□ □□□ □□□□ □□ □□(ISO 21139-22)□ □□ □□□, □ □□□ □□□□ □□□□□□ □□□□□ □□□□(ISO 21139-22[8]). □□ □□□□□ □□□□ □□□ □□□□ □□□□ □□ □□ □□□ □□□□ □□□□. □□□ □□□ □□□□□ □□□ □□□ □□□ □□□ □ □□ □□□□□. □□□□□□ □□□ □□ □□□ □□ □□ □□□ □□ □□□□ □ □ □□□□ □□□□.

□□ □□□ □□ □□□ □□□ □□□□□ □□□□ □□□ □□□□. □□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□. □□□□ □□□ □□ □□□□ □□ □□ □□ □□□ □□□□□ □□□□ □□□ □□□, Caltech □□ □□ □□□ □ □□□□(□□ □□□ □□ □□[9]). □□□□ □□ □□□ □□ □□□ □□□, □□ □□□ □□ □□□ □□□□ □□ □□ □ □□ □□□ □□□ □□ □□□□ □□□□□(□□□ □□□ □□ □□□[10]). □□□ □□ □□□ □ □□□□, □□□□ □□ □□□ □□ □□□ □□□ □ □□□ □□□ □□□□ □□□ □□□□□.

FAQ

FAQ: □□ □□□ □□□ □□□ □□□ □□□□?

□□ □□□ □□□ □□ □□□ □□□□□. □□□ □□□ □□□ □□□ □, □□□, □□□□ □□□□□ □□ □ □ □□□ □□□□ □□□□□. □□□ □□ □□ □□ □□□ □□□ 24 × 36 in □□□□ □ 23.25 × 35.25 in□ □□ □ □□□, □□ □ □□ □□□ □□ 0.375 in□ □□□□□. □□□ □□□□ □ □□□ □□□ □□ □□□□□. □□ □□□□ □□ □□□ □□ □□ □□□.

FAQ: □□□□ □□ □□□□□ □□□ □□□ □□□□ □□□?

□□□□ □□□ □ □□ 0.125 in (3.175 mm)□□, □□□ □□ □□□□ □ □□□□ □□ □□□□ 0.25 in □□□. □□□ □□ □ □□□ □□ □□□□ □ □ □□□. □□ □□□ □□□□□ □□□, □□□□ □□ □□□□□□□ □□ □□□ □□□□ □□□ □□□ □□□□ □□□□.

FAQ: □□ □□□ 18 × 24 in □□□ 24 × 36 in □□□ □□ □□□ □ □□□?

□□ □□ □□□ □□□□□□. 18 × 24 in□ □□□ 3:4, 24 × 36 in□ □□□ 2:3□□□. 24 × 36 in □□□□□ 18 in □□□ □□□ □□□ 27 in□ □□□□, □□□□ □□ □□□ 3 in□□□. □□□□ □□□□□ □□□ □□□, □□ □□ □□□□ □□□ □□□□□. □□ □□ 12 × 18 in □□□□ 24 × 36 in □□□ 50% □□□ □□ □□ □□□□.

FAQ: ISO A □□□ □□ □□□ □□□ □□□□□?

□□□. A □□□ □□□ 1 : 1.414 □□□ □□□□, □□ ISO 216□ □□□□ □□□□. A1□ □□□ 594 × 841 mm, A0□ □□□ 841 × 1189 mm□□□. 24 × 36 in (609.6 × 914.4 mm) □□ □□ □□□ □□□ □□□□. □□□ □□□□ □□□ □□□ □□□□ □□□ □□ □□□ □□□□□.

FAQ: □□□ □□□ □□□□ □□□□ □□□?

□□□ □□□ □□□ □□□□ □□□□. □□□□ □□□ □□□ □□□ □□ □□□ □□□□□. □□ □□□ 1/16 in□□□□ □□ □□□ □□□ □ □□□□ □□, □□□ □□□ □□□ □□□ □□ □□□□ □□□. □□ □□□□ □□ □□□. □□□ □□□ □□□□ □□ □□□ □□□□□. □□□□ □□ □□□□□ □□ □□□ □□ □□ □□□ □□□□□ □□□□□.

FAQ: □□ □□□ □□ □□□□ □□□ □ □□□?

□□□ □□□□ □□□□. □□□ □□□ □□□ □□□ □□□ □□□□□ □□□□□□ □□ □□□□□. □□ 54 in □ □□□□ □□ 26 × 38 in □□□□ □□ 24 × 36 in□□ □ □□□ □□□□. □ □ □□□ □□ □□□ □□ □□□ □□□, □□□□ □□, □□, □□ □□□ □□□□ □□□□□. □□□ □□□ □□ □□ □□□ □ □□ □ □□ □□ □□□.

□□ □□

- □□ □□□ □□□□ □□ □□ □□□ □□□□ □□□□ □□□ □ □□□ □□□ — □□ □□ □□ □ 50,473 US□, 2026□ □□ (□□)
- □□□ □□□ □□□ □□□□□ □□ □□□ □□ □□□□□ — USD 6.10 □□ □□□ □□ □□ □□ □□, □□ □ □□ CAGR: 2023, 10.5% (□□)
- □□ □□□□□ □□ □□□ □□ □□□ □□□□ □□□□ — GPO □□□ 310.1 (QATAP) (□□)
- □□□ □□ □□□ □□ □□□ □□ □□ □□□□ □□□□ □□ □□□ — ISO 15930 (PDF/X) □□□ (□□)
- □□□ **2**□□ □□□□ □□ □□□ □□□ □□□□ □ □ □□□□ — □□ 2 □□ □ □□ 1 □□, 54 in □ □□ (□□)
- □□□□ □□□□ □□□ □□□□□ □□ □ □□□□ □□ □□□□ □□□□□ — □□□□ □□□□□ □□ ISO 21139-22 (□□)

□□

□□□ □□ □□ □□□ □□ □□□□□ □□□ □□ □□□□. □□□□□□ □□□ □□, □□□□□□□ □ □□ □□, □□□□ □ □□ □□□ □□□ □□□□ □□□□□. □□□ □□□ □□□□ □□□□ □□□□. □□ □□□□ □□ □□, □□, □□□ □□□, □□, □□□□ □□ □□ □□□ □□□ □□□□, □□□ □□□□ □□ □□□ □□ □□□. □□□ □□□ □□ □□□ □ □□, □ □□□, □ □□□□ □□□ □□□ □□□□ □□□. □□ □□□ □□□□ □□□ □□ □□□ □□ □□□□ □□□ □□□. □ □□ □□□ □□ □□ □□□ □ □□□□□□.

□□ □□

1. IBISWorld, “Printing in the US — Industry Analysis” (2026): □□ □□ $79.4bn, 50,473□ □□. https://www.ibisworld.com/united-states/industry/printing/433/ ↩
2. Grand View Research, “U.S. Custom Printing Market Size | Industry Report, 2030” (2024): USD 6.10 □□(2023□), CAGR CAGR 10.5%(2024–2030). https://www.grandviewresearch.com/industry-analysis/us-custom-printing-market-report ↩
3. U.S. Government Publishing Office, “Quality Assurance Through Attributes Program (QATAP)”, GPO Publication 310.1 (□□ 09-19). https://www.gpo.gov/docs/default-source/forms-and-standards-files-for-vendors/qatap-rev-09-19.pdf ↩
4. PDF Association, “PDF Standards” (ISO 15930 / PDF/X □□). https://pdfa.org/pdf-standards/ ↩
5. ISO/TC 130 Graphic Technology, “Guidelines for using print production standards” v1.0 (2019). committee.iso.org — TC 130 □□(PDF) ↩
6. Idealliance, “What is G7?” https://connect.idealliance.org/g7/about/whatisg7 ↩
7. PRINTING United Alliance / WhatTheyThink, “Innovations in Wide-Format Inkjet Media”. printing.org — □□□ □□ □□□ □□(PDF) ↩
8. ISO, ISO/DIS 21139-22, □□ □□□□ □□□ □ □□□ — □□□□ □□□□□□ □□□□. iso.org — ISO 21139-22 ↩
9. California Institute of Technology GIS Lab, “Poster Printing Information”. https://gislab.caltech.edu/documents/20483/Poster_Printing_Information.pdf ↩
10. Yale Sustainability, “New recycled fabric poster printing goes green at Yale”. https://sustainability.yale.edu/news/new-recycled-fabric-poster-printing-goes-green-yale ↩

10□ 21, 2026