




Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES





□□□ □□□ □□□□□ □□ □□□ □□□□□?

በፀሐይ ምሽት, በፀሐይ ምሽት. በፀሐይ ምሽት በፀሐይ ምሽት. በፀሐይ ምሽት በፀሐይ ምሽት. በፀሐይ ምሽት በፀሐይ ምሽት:

- 0000 0000 00 0. 00, 0000 00 00, 000 00000 0000 00 00 000 00 0000. 000 000 00 000 0000 00 000 0 000 000.
- 00 000 0000 0. 000, 000 0000 00, 000 000 00 00, 00 00, 00000. 0000 000 00000. 0000 0000 0000.
- 00 00 000 0 00 0000 000 0. 00 0000 000, QR 00 00 URL, 00 00 00, 00000 00 00 000 00 0 0000. 00 00 000 000000.
- 000 000 000 00 0. 000 00 00000 0000 00 000, 00 00, 000 000 00 000 0000.

[illegible]

በግልጽ በግልጽ በግልጽ በግልጽ. በግልጽ በግልጽ በግልጽ, በግልጽ በግልጽ በግልጽ በግልጽ በግልጽ በግልጽ.



01 B2B 0000 0000 0000 000000?

0000 00 000. 00 00 00 000 00 0000 00 00 000 0000 000 000. 00 000 00 0000 00 0000 00 00 00000 000 0
00. 0000 000 0000 00 00 00000 0000 000. 00 00 000 000 000 000.

00 00 00. 00000 000000 0000 000 SNS 000000 00 00 0000 000000. 0000 00 00000 0000 000 0 000 00 000
0000. 000 00 0000 000 0000 000 000 0 0000. SNS 000 0000 3D.00 000 000000.

00 000. 000 0000 000000 0000 00 000 00 00 0000 0000. 00 00 000 0000 00 00000 000 000, 00 000 00, 00,
RSVP 000 00 0000.

000 0000 00. 000 00 000, 00 00 00, 00 000 00 000 00 0000. 0000 000000 000 000000, 00 00 00000 ISO
20793 000 00 00 00(000000, 00 00, 000)0 00 00 00 0000.



0000 00 000000 0000 0000 00


1. 0 000 00 0000 000. "A00 B0 00", "00 00", "0 000 3D 000" 0 000 0000. 000 000 00 00 00(00 00, 00 000, 0000)0 00000.
2. 00 000 00 000 00000. 00 00 000 75-100 LPI 000 000 0000 000 000000. 000000 00 000, 00 00 0000 00 00 000000.
3. 0 00 000 00 00000. 00000 00000, 000 000 000 000. 00000 000 00 00 0000 00 00 0000 0000.
4. 0000 000 00 0000 000 000000. 00 00000 000000 000 CMYK 000 00 00 00 300 dpi0 00 00000, 000000 00 0000 00 0000 PSD0 000000. 00 1/8 in (3 mm)0 00000 00 00 1/4 in (6 mm)0 000. 000 000 000 0000 0 0000 000000 00 00 000 0 00, 00 3/4-1 in0 000 000. 00000 00000 00 0 000000 000 00 000. 0000000 0 0 00 0000 000 000 00000 00 00000.
5. **PDF**0 000 00 00000 000000. 000 00 00 00000, 000 00 00000, 00·0000·000000 000 00 000000. 000, 00 0 00 000, 00000 00000 000000.
6. 00 00 000 00 000 000000. 00, 000 00 00 000 00 000 00 0000. 00000 000 000 000 00 0 00 000000. 000 00 000 00000.

00 00, 00, 00 00 000 000 00 000 000?

000 0 00 000000. 00 00 000 00 000 00000 000 00 0000. 000 100 LPI 0 75 LPI 000 00 0 14 mil, 18 mil(00 0.36-0.46 mm) 000000. 00 000000 00000000. 000 000 0 00000 00000 00000 0 000, 000 000 0 00 00000 00 00000 0 00 0000. 0 000 00 00 000 00000 0000 0000 0000 000 00 000, 0 00 00 000 000 000000.

000 00 000 000000. 00 000 000 00 0000 000 0 0000000. 000 000000 00000 000 00 000 00000 00000 0000 00 0 00 0000. 00 000 00 000 00000 000. 0000 00000 00, 000 000 00 0 00 00 000 000 000000. 00000 0 000 0 00 00 00 00 000000.

00 000 000 000 000 000 00000 000000. 00 00000 00 00 00 00000 00 000 0.016 in00, 0 000 00000 00 00 00, 0 0 00000 000 000 00 00 00000 000000. 00 000 0000000 00 00 "00 000" 000 00 00 000 000 00000 000000. 000 000 0 000 00 000 00 00000 0000 0 000 000 0 0000. 00 000 00 00 00000 00000 0000, 000 00000 00000 00 00 000 00 00 0000. 00 000 00 000 000 000 00 000000 000 00000, 00000 00 000 00000 000 00000.



- [illegible]

項目	3D / 詳細説明	関連項目	備考 (必要に応じて記入)
3Dモデルの作成	3Dモデルの作成、レンダリング	3Dモデル、レンダリング	3Dモデルの作成、レンダリング
3Dモデルの修正	3Dモデルの修正、再レンダリング	3Dモデル、レンダリング	3Dモデルの修正、再レンダリング
3Dモデルの出力	3Dモデルの出力、ファイル形式	3Dモデル、レンダリング	3Dモデルの出力、ファイル形式
3Dモデルの表示	3Dモデルの表示、ビューポート	3Dモデル、レンダリング	3Dモデルの表示、ビューポート
3Dモデルの印刷	3Dモデルの印刷、3Dプリンタ	3Dモデル、レンダリング	3Dモデルの印刷、3Dプリンタ
3Dモデルの共有	3Dモデルの共有、クラウドストレージ	3Dモデル、レンダリング	3Dモデルの共有、クラウドストレージ
3Dモデルの活用	3Dモデルの活用、マーケティング	3Dモデル、レンダリング	3Dモデルの活用、マーケティング
3Dモデルの管理	3Dモデルの管理、バージョン管理	3Dモデル、レンダリング	3Dモデルの管理、バージョン管理
3Dモデルのセキュリティ	3Dモデルのセキュリティ、アクセス権限	3Dモデル、レンダリング	3Dモデルのセキュリティ、アクセス権限
3Dモデルのバックアップ	3Dモデルのバックアップ、定期的な保存	3Dモデル、レンダリング	3Dモデルのバックアップ、定期的な保存
3Dモデルの更新	3Dモデルの更新、最新のモデル	3Dモデル、レンダリング	3Dモデルの更新、最新のモデル
3Dモデルの削除	3Dモデルの削除、不要なモデル	3Dモデル、レンダリング	3Dモデルの削除、不要なモデル
3Dモデルの検索	3Dモデルの検索、キーワード検索	3Dモデル、レンダリング	3Dモデルの検索、キーワード検索
3Dモデルの分類	3Dモデルの分類、カテゴリ分け	3Dモデル、レンダリング	3Dモデルの分類、カテゴリ分け
3Dモデルの評価	3Dモデルの評価、品質チェック	3Dモデル、レンダリング	3Dモデルの評価、品質チェック
3Dモデルのレビュー	3Dモデルのレビュー、フィードバック	3Dモデル、レンダリング	3Dモデルのレビュー、フィードバック
3Dモデルの承認	3Dモデルの承認、最終確認	3Dモデル、レンダリング	3Dモデルの承認、最終確認
3Dモデルのリリース	3Dモデルのリリース、公開	3Dモデル、レンダリング	3Dモデルのリリース、公開
3Dモデルのアーカイブ	3Dモデルのアーカイブ、長期保存	3Dモデル、レンダリング	3Dモデルのアーカイブ、長期保存
3Dモデルの復元	3Dモデルの復元、バックアップからの復元	3Dモデル、レンダリング	3Dモデルの復元、バックアップからの復元
3Dモデルの移行	3Dモデルの移行、プラットフォーム間	3Dモデル、レンダリング	3Dモデルの移行、プラットフォーム間
3Dモデルの連携	3Dモデルの連携、他のシステムと	3Dモデル、レンダリング	3Dモデルの連携、他のシステムと
3Dモデルの統合	3Dモデルの統合、単一のプラットフォーム	3Dモデル、レンダリング	3Dモデルの統合、単一のプラットフォーム
3Dモデルの最適化	3Dモデルの最適化、パフォーマンス向上	3Dモデル、レンダリング	3Dモデルの最適化、パフォーマンス向上
3Dモデルの圧縮	3Dモデルの圧縮、ファイルサイズ削減	3Dモデル、レンダリング	3Dモデルの圧縮、ファイルサイズ削減
3Dモデルの拡張	3Dモデルの拡張、機能追加	3Dモデル、レンダリング	3Dモデルの拡張、機能追加
3Dモデルの互換性	3Dモデルの互換性、異なるソフトウェア間	3Dモデル、レンダリング	3Dモデルの互換性、異なるソフトウェア間
3Dモデルの互換性	3Dモデルの互換性、異なるハードウェア間	3Dモデル、レンダリング	3Dモデルの互換性、異なるハードウェア間
3Dモデルの互換性	3Dモデルの互換性、異なるオペレーティングシステム間	3Dモデル、レンダリング	3Dモデルの互換性、異なるオペレーティングシステム間
3Dモデルの互換性	3Dモデルの互換性、異なるブラウザ間	3Dモデル、レンダリング	3Dモデルの互換性、異なるブラウザ間
3Dモデルの互換性	3Dモデルの互換性、異なるデバイス間	3Dモデル、レンダリング	3Dモデルの互換性、異なるデバイス間
3Dモデルの互換性	3Dモデルの互換性、異なるネットワーク環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なるネットワーク環境間
3Dモデルの互換性	3Dモデルの互換性、異なるセキュリティ環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なるセキュリティ環境間
3Dモデルの互換性	3Dモデルの互換性、異なる法的環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる法的環境間
3Dモデルの互換性	3Dモデルの互換性、異なる文化的環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる文化的環境間
3Dモデルの互換性	3Dモデルの互換性、異なる社会的環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる社会的環境間
3Dモデルの互換性	3Dモデルの互換性、異なる経済環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる経済環境間
3Dモデルの互換性	3Dモデルの互換性、異なる政治環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる政治環境間
3Dモデルの互換性	3Dモデルの互換性、異なる宗教環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる宗教環境間
3Dモデルの互換性	3Dモデルの互換性、異なる言語環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる言語環境間
3Dモデルの互換性	3Dモデルの互換性、異なる文字コード環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる文字コード環境間
3Dモデルの互換性	3Dモデルの互換性、異なるエンコーディング環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なるエンコーディング環境間
3Dモデルの互換性	3Dモデルの互換性、異なるデコーディング環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なるデコーディング環境間
3Dモデルの互換性	3Dモデルの互換性、異なるコンパイル環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なるコンパイル環境間
3Dモデルの互換性	3Dモデルの互換性、異なるランタイム環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なるランタイム環境間
3Dモデルの互換性	3Dモデルの互換性、異なる実行環境間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行環境間
3Dモデルの互換性	3Dモデルの互換性、異なる実行モード間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行モード間
3Dモデルの互換性	3Dモデルの互換性、異なる実行パラメータ間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行パラメータ間
3Dモデルの互換性	3Dモデルの互換性、異なる実行オプション間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行オプション間
3Dモデルの互換性	3Dモデルの互換性、異なる実行フラグ間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行フラグ間
3Dモデルの互換性	3Dモデルの互換性、異なる実行環境変数間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行環境変数間
3Dモデルの互換性	3Dモデルの互換性、異なる実行システム変数間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行システム変数間
3Dモデルの互換性	3Dモデルの互換性、異なる実行環境設定間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行環境設定間
3Dモデルの互換性	3Dモデルの互換性、異なる実行システム設定間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行システム設定間
3Dモデルの互換性	3Dモデルの互換性、異なる実行環境ファイル間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行環境ファイル間
3Dモデルの互換性	3Dモデルの互換性、異なる実行システムファイル間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行システムファイル間
3Dモデルの互換性	3Dモデルの互換性、異なる実行環境リソース間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行環境リソース間
3Dモデルの互換性	3Dモデルの互換性、異なる実行システムリソース間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行システムリソース間
3Dモデルの互換性	3Dモデルの互換性、異なる実行環境依存関係間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行環境依存関係間
3Dモデルの互換性	3Dモデルの互換性、異なる実行システム依存関係間	3Dモデル、レンダリング	3Dモデルの互換性、異なる実行システム依存関係間
3Dモデルの互換性	3Dモデルの互換性、異なる実行環境ライブラリ間	3Dモデル、レンダリング	3Dモデルの互換性、

3D Printing 3D Printing 3D Printing?

3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies.

- **Material.** 3D printing can use a wide range of materials, including plastics, metals, ceramics, and composites. The most common material used is **PLA** (Polylactic Acid), which is a biodegradable plastic. Other common materials include **ABS** (Acrylonitrile Butadiene Styrene), **PETG** (Polyethylene Terephthalate Glycol), and **nylon**. The choice of material depends on the application and the properties required for the part.
- **Resolution.** 3D printing resolution refers to the smallest feature size that can be printed. It is typically measured in micrometers (µm). The resolution of a 3D printer depends on the technology used. For example, **SLA** (Stereolithography) printers have a resolution of approximately 25-50 µm, while **FDM** (Fused Deposition Modeling) printers have a resolution of approximately 100-200 µm.
- **EU.** The **EU** (European Union) has a regulation (EU) 2025/40, which sets the requirements for 3D printing. It requires that 3D printed parts must meet the same standards as parts made by traditional manufacturing methods. The regulation also sets the requirements for the materials used in 3D printing. The **EU** regulation is a key factor in the development of 3D printing technology.
- **3D printing.** 3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies. The most common 3D printing technologies are **FDM** (Fused Deposition Modeling), **SLA** (Stereolithography), and **SLS** (Selective Laser Sintering).

3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies. The most common 3D printing technologies are **FDM** (Fused Deposition Modeling), **SLA** (Stereolithography), and **SLS** (Selective Laser Sintering). The choice of technology depends on the application and the properties required for the part.

FAQ

FAQ: 3D printing 3D printing 3D printing?

3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies. The most common 3D printing technologies are **FDM** (Fused Deposition Modeling), **SLA** (Stereolithography), and **SLS** (Selective Laser Sintering).

FAQ: 3D printing 3D printing 3D printing?

3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies. The most common 3D printing technologies are **FDM** (Fused Deposition Modeling), **SLA** (Stereolithography), and **SLS** (Selective Laser Sintering).

FAQ: 3D printing 3D printing 3D printing?

3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies. The most common 3D printing technologies are **FDM** (Fused Deposition Modeling), **SLA** (Stereolithography), and **SLS** (Selective Laser Sintering).

FAQ: 3D printing 3D printing 3D printing?

3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies. The most common 3D printing technologies are **FDM** (Fused Deposition Modeling), **SLA** (Stereolithography), and **SLS** (Selective Laser Sintering).

FAQ: 3D printing 3D printing 3D printing?

3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies. The most common 3D printing technologies are **FDM** (Fused Deposition Modeling), **SLA** (Stereolithography), and **SLS** (Selective Laser Sintering).

FAQ: 3D printing 3D printing 3D printing?

3D printing is a process of creating three-dimensional objects from a digital file. It involves building up the object layer by layer, using a variety of materials and technologies. The most common 3D printing technologies are **FDM** (Fused Deposition Modeling), **SLA** (Stereolithography), and **SLS** (Selective Laser Sintering).

00 00

- 00 000 00 00 000 00 000 0 0000 — 4 00: 00000, 000 00, 00 000, 000, ISO 20793:2024 (00)
- 000 000 0 00 00 0000 000 0000 00000 — 2024000 00 000 3D 0000 00000 (00)
- 000 00 000 0000 000 00 00 000 0 0 0000 — CPSIA 2008 §106 00 0000 0000 ASTM F963 000 000 000 (00)
- **EU** 00 000 000 00 00 000 000 000 — PPWR 8 12, 2026000 00 00000 (00)
- 000 0000 0000 0000 00 000 000 000 00 000 — 00 00 000 000 000 00 2025 00 00 (00)
- 00 00 00 000 000 00000 00 00 000 0000 — 000 0000 000 00000 000 000 25 000 (00)

00: 0, 00, 000 0000 000 00000

3D 0000 000 0 000 000 000 0 000 000. 000 000 00 000 00 000 00, 0000 0000 00 00 000 00 00, 000 000 0 00 00 0 00 0 00 00 00000. 0 0 000 0000 00 00 0000 000 0000 00000 0000 00 0 0000.

000 000 00 000 000 00 0000 00 00 0000 0000. 00 000000 00 00, 00 00, 00, 0000 00 000. 000 00 0 0, 00, 00, 00 0000 000 000000000.

00 00

1. [Explain that Stuff, "00000 000 000 0000?"](#) ↵
2. [ISO 20793:2024, 00 0000 0000 0000 00, ISO/TC 42, 2024 5](#) ↵
3. [0000 000 0000 00 00 00, r/comicbooks, 2017 10](#) ↵
4. [US 7,001,654 B2, 0000 00 00, 2 21, 2006 00](#) ↵
5. [00 00000000000, 000 00 000 000](#) ↵
6. [00000 000, 21: 00 0 000](#) ↵
7. [0000 000, 00 0 00 0000 00 00\(EU\) 2025/40](#) ↵
8. [European Sealing Association, EU PPWR 00, 10 1, 2026](#) ↵
9. [Plastics Decorating, "0000 000 0000: 000 0000 000 000 00", 2025](#) ↵
10. [00000 000 0000, 000 25 0000 0000 00 00 00, 10 31, 2025](#) ↵
11. [3D Printing Industry, MIT ShiftLens 00, 8 5, 2026](#) ↵