



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Details

3D PVC floor tiles are designed to provide a realistic look and feel, mimicking natural materials like wood, stone, or fabric. They are made from high-quality PVC (polyvinyl chloride) and are available in various colors and patterns. The tiles are typically made from PP (polypropylene) or PE (polyethylene) and are designed to be easy to install and maintain. They are also resistant to water, stains, and wear, making them a popular choice for residential and commercial flooring.



3D PVC Floor Tiles

PVC floor tiles are made from a combination of PVC (polyvinyl chloride) and other materials like plasticizers, stabilizers, and fillers. They are designed to be easy to install and maintain, and they provide a realistic look and feel. The tiles are typically made from PP (polypropylene) or PE (polyethylene) and are designed to be easy to install and maintain. They are also resistant to water, stains, and wear, making them a popular choice for residential and commercial flooring.

The tiles are made from a combination of PVC (polyvinyl chloride) and other materials like plasticizers, stabilizers, and fillers. They are designed to be easy to install and maintain, and they provide a realistic look and feel. The tiles are typically made from PP (polypropylene) or PE (polyethylene) and are designed to be easy to install and maintain. They are also resistant to water, stains, and wear, making them a popular choice for residential and commercial flooring.

FAQs

1. [What are the benefits of 3D PVC floor tiles?](#)
2. [How do I install 3D PVC floor tiles?](#)
3. [What are the different types of 3D PVC floor tiles?](#)
4. [How do I clean 3D PVC floor tiles?](#)
5. [What are the different types of 3D PVC floor tiles?](#)
6. [FAQ](#)

7.

□□ □□□ □□ □□□□ □□□ □□□□

0-0-00 00 0000 00 0000 30 0000 000000. 00 PVC 0000, 00 0000(PSA), 0000 00 00000000. PSA 00 000000 0000 0000 0. 000000 00000 00 00000, 0000 0000 0000 00 0000 00 00000, 00000 00000 000000. 0000 000000 00 “00000(wet-out)”0000 00000.

[illegible][illegible]

00 000. 00 0000 dynes/cm 000 0000, 000 000 000 00 00000 00000. 00 0000 0000 000 000 000 000 00 0
 000 000, 0000 00 0000 00000. 00000 0000 0000 00 000000 0 29-31 dynes/cm, 00000 0 31, ABS 0 42, 0
 0000(PET) 0 43, 000 0 4600, 000 0000 00000 00 dynes/cm000. 00 000 0000 00 36-38 dynes/cm 0000 0
 00 0000. 0 0000 00 0000 LSE 0000 000 0000000.

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐



100: 100 100 100 100. 100 100 100, 100 100 100 100 100 100 100. 100 100 100 100 100 100 100 LSE 100 100. 100 100 100 100 100 100. 100 100 100 100 100 100 100 100 100 100 100.

200: 1000 100 1000 10000, 100 10000 100000.

1000 100 100

1000 1000 1000 100 1000 100 100 10000. 10000 100 1000 1000, 100 46 dynes/cm1000. 1000 100 1000 100 1000 10000. 10000 100000000 100000 100 1000 100, 100 10000 100(DWR) 100 1000 100 1000 10000. 100 1000 100 10000 LSE 10000 10000 10000 1000 100 10000. 1000 100 1000 100 1000 10000.

LSE 100 10000 1000(high-tack) 10000 100000. 1000 100 0.13 mm(5 mil)100 100, 0.05 mm 100 100 1000. 1000 100 1000 100000 100 1000 1000 10000. 1000 100 1000 100 100000 10000 100 1000 100 10000 10000.

100000 100

1000000 100 43 dynes/cm100, 1000 1000 10000 100 10000 100000. 100 1000 1000 1000 100000. 100, 100, 1000 100 100 PSA100 100000. 100 10000 100 100000 1000, 100, 100000 100 1000 100 10000. 100000 1000 100000 1000.

100

1000 100 100 100 10000 100000. 100 10000 10000 1000 1000 10000 1000 10000 1000 100000. 1000, 100 100, 100 100, 100 “100 (pull-up)” 1000 1000 10000, 100 1000 1000 1000 1000 100000, 1000 100 100 1000 1000. 100000 1000 10000 1000 100 1000 100.

1000 1000 100 10000 100000 1000 100 100 100000. 1000 10000 100 1000 100 100 1000 100000 100000, 100 10000 1000 1000000 1000. 100000 100 1000 10000 1000 100000.

100 100 10000(1000, 100 100 100, 100)

100 PP 100 PE 100000 100 100 1000. 100 100 10000, 10000 100 100 100 10000 100000. 100 100 100 10000 1000 10000 1000 10000. 100 1000 100 1000 100 1000 1000 1000 LSE 1000 100 LSE 100 100 100 10000 1000. PP 100000 100 1000 10000 1000 100 100 1000 1000 1000, 100 100 100 10000 10000.

100

1000 100000 1000 100 10000 100 10000, 1000 10000 1000 100000 1000. 1000, 100, 100 1000 1000 10000 1000. 1000 100 PVC100 100 1000 100.10000, 1000 1000 100 100 1000 10000. 1000 100 10000 100 100 10000 100 10000 100 10000 100 10000, 100 1000 1000 1000 100 1000 1000 10000 100000.

100 100

10000 100000 10000 100 1000 1000000 100 10000. 100 1000 100 1000 100 10000 100 1000, 1000 LSE 1000 10000. 100 1000 100 100 1000 1000 10000 1000 100 10000. 100 100000 1000 100 100 1000 100 1000 100000. 100 100000 1000 1000 1000 1000 10000 1000 100 10000. 1000 100000 100 1000000 100 1000 100 100 (medium-tack) 10000 10000, 1000 10000 10000 100000 10000 100.

100: 100, 100 100 **72**100 100

[illegible][illegible][illegible]

□□□ □□ □□□ □□□ □□ □□□□□?

[illegible]

- **အထူးသတိပြုရန်။** အထူးသတိပြုရန်။ **PSA** အထူးသတိပြုရန်၊ အထူးသတိပြုရန် အထူးသတိပြုရန်။
- **အထူးသတိပြုရန်။** **PVC** အထူးသတိပြုရန် အထူးသတိပြုရန်။ **PVC** အထူးသတိပြုရန် အထူးသတိပြုရန် **45-50°C** အထူးသတိပြုရန်၊ အထူးသတိပြုရန် အထူးသတိပြုရန် အထူးသတိပြုရန်။
- **အထူးသတိပြုရန်။** အထူးသတိပြုရန် အထူးသတိပြုရန်၊ အထူးသတိပြုရန် အထူးသတိပြုရန် အထူးသတိပြုရန် အထူးသတိပြုရန်။ အထူးသတိပြုရန် အထူးသတိပြုရန် အထူးသတိပြုရန် အထူးသတိပြုရန်။
- **အထူးသတိပြုရန်။** အထူးသတိပြုရန် အထူးသတိပြုရန် အထူးသတိပြုရန် အထူးသတိပြုရန် အထူးသတိပြုရန်။
- **UV** အထူးသတိပြုရန်။ အထူးသတိပြုရန် အထူးသတိပြုရန် **UV** အထူးသတိပြုရန် အထူးသတိပြုရန်။

[illegible]

0000 0000 0000 00 000 0000 00, 0000 000 000 00000. 000 00 000 0000 00, 000 [SATRA Prop 65](#) 000 0
[\[3\]](#) 0 00000 00 0 000000 0.005% 000 00 00 0000 00000. 00 [AAFA](#) 00 00 00 [\[4\]](#) 2026 0000 00 28 00, 00
 00 2026000, 00 0000 000 000 0 0000 00 00000. 000 000 03 000 000 00 000(Children's Product
 Certificate) 0000, 000 000 0000: [CPSIA](#) 00 [\[5\]](#).

FAQ

FAQ: 3M PVC 如何安裝？

“3M 𐀀𐀀𐀀” 𐀀𐀀 𐀀𐀀 𐀀𐀀 𐀀𐀀 𐀀𐀀 𐀀𐀀𐀀𐀀, 𐀀𐀀 𐀀𐀀𐀀𐀀𐀀 𐀀𐀀 𐀀𐀀𐀀 𐀀 𐀀 𐀀𐀀𐀀. PVC 𐀀𐀀𐀀 𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀𐀀𐀀, 𐀀𐀀 𐀀𐀀𐀀 PP, PE 𐀀𐀀 𐀀𐀀 𐀀𐀀𐀀𐀀 LSE 𐀀𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀𐀀𐀀. 𐀀𐀀𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀𐀀 𐀀𐀀𐀀, “3M 𐀀𐀀” 𐀀𐀀𐀀 𐀀𐀀𐀀𐀀 𐀀𐀀𐀀.

FAQ: What are the common questions about the new system?

_____.

FAQ: ۱۱ سوال و جواب؟

በፍጥነት ለመሰራት ለሚችሉት ስራዎች፣ በፍጥነት ለመሰራት ለሚችሉት ስራዎች. 24 ሰዓት በፍጥነት ለመሰራት ለሚችሉት ስራዎች፣ በፍጥነት ለመሰራት ለሚችሉት ስራዎች. በፍጥነት ለመሰራት ለሚችሉት ስራዎች.

FAQ: What are the most common questions about the program?

[illegible]

FAQ: 1-1-11 1111 1111, 11 11, 1111 1111 1111?

000. 00 00 000 00 0000 0000 00 000 000000. 00 000 00 000 00 0000 000000 00000: [150-200°C](#), 00 1 MPa 00 0000 10-20 00^[6], 00 PSA 00 PVC 0000 00000 00 000000.

FAQ: 100 Questions and Answers?

^[7] FTC [§ 90.8](#), 16 CFR Part 303^[8]. ^[9]

□ □ □ □

- $\sigma_{\text{сж}} \geq 100 \text{ МПа}$ при $\sigma_{\text{сж}} = 100 \text{ МПа}$. — $\sigma_{\text{сж}} \geq 100 \text{ МПа}$ при $\sigma_{\text{сж}} = 100 \text{ МПа}$ (0.1%)
- $\sigma_{\text{сж}} \geq 100 \text{ МПа}$ при $\sigma_{\text{сж}} = 100 \text{ МПа}$. — $\sigma_{\text{сж}} \geq 100 \text{ МПа}$ при $\sigma_{\text{сж}} = 100 \text{ МПа}$ (0.005%)
- $\sigma_{\text{сж}} \geq 100 \text{ МПа}$ при $\sigma_{\text{сж}} = 100 \text{ МПа}$. — RSL RSL 26 МПа, $\sigma_{\text{сж}} = 28 \text{ МПа}$, $\sigma_{\text{сж}} = 2026 \text{ МПа}$ (0.1%)
- $\sigma_{\text{сж}} \geq 100 \text{ МПа}$ при $\sigma_{\text{сж}} = 100 \text{ МПа}$. — $150-200^\circ\text{C}$, $\geq 1 \text{ МПа}$, $\sigma_{\text{сж}} \geq 10-20 \text{ МПа}$ (0.1%)
- $\sigma_{\text{сж}} \geq 100 \text{ МПа}$ при $\sigma_{\text{сж}} = 100 \text{ МПа}$. — $\sigma_{\text{сж}} \geq 100 \text{ МПа}$ при $\sigma_{\text{сж}} = 100 \text{ МПа}$ (0.1%)

11

[illegible]

මෙම පිටපත ෨, ෨෦෦෦ PP ෩෩, ෨෦෦෦ ෧ ෧෧෧෧ ෧෧ ෧෧෧෧ ෧෧෧෧ ෧෧ ෧෧෧෧. ෧෧ ෧෧෧෧ ෧෧෧෧ ෧෧ ෧෧෧෧ ෧෧෧෧ ෧෧ ෧෧෧෧෧෧෧෧. ෧෧෧෧ ෧෧෧෧ ෧෧෧෧ [෧෧.෧෧෧෧ ෧෧ PVC ෧෧ ෧෧](#) ෧෧෧෧෧෧ ෧෧ ෧෧෧෧ ෧෧෧෧෧෧෧෧.

1. [美國消費者產品安全委員會\(CPSC\) – 美國消費者產品安全委員會\(CPSIA 第 108, 16 CFR 第 1307\) ↵](#)
2. [CNA Lifestyle – 美國消費者產品安全委員會\(CPSC\) \(2024-08-18\) ↵](#)
3. [SATRA – 美國消費者產品安全委員會\(CPSC\) Proposition 65 第 108, 16 CFR 第 1307 \(2026 年 1 月 1 日\) ↵](#)
4. [美國消費者產品安全委員會\(CPSC\) – 美國消費者產品安全委員會\(CPSIA 第 108, 16 CFR 第 1307\) \(2026 年 1 月 1 日\) ↵](#)
5. [美國消費者產品安全委員會\(CPSC\) – CPSIA FAQ ↵](#)
6. [美國消費者產品安全委員會\(CPSC\) – 美國消費者產品安全委員會\(CPSIA 第 108, 16 CFR 第 1307\) \(2022-10-11\) ↵](#)
7. [美國消費者產品安全委員會\(CPSC\) – 美國消費者產品安全委員會\(CPSIA 第 108, 16 CFR 第 1307\) ↵](#)
8. [eCFR – 第 16 卷, 第 303 章: 美國消費者產品安全委員會\(CPSC\) 第 108, 16 CFR 第 1307 ↵](#)
9. [美國消費者產品安全委員會\(CPSC\) – 美國消費者產品安全委員會\(CPSIA 第 108, 16 CFR 第 1307\) ↵](#)