



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



00 0000 00 00: 0000, 00, 00, 000000 0000 0000 0000 00

Details

00 00: 00 0000 00 0 00 00 0 0000 000000. 00(0000, 00000, 00 0000 0000 00 00), 00 00(0000 0000 00), 0000(00 0000 00, 0000 0000 00000 00), 0000 0000 00000 00 00000000. 00 0000 00 0000 00 0000 0000, 0000 0000 00000 000000. 00 0000 00000 00 0000 00000 000000 00, 0 0 00000 000000 0000.

00 00: 20260 00. 00 0 00000 0000, 00 0000, 00 00 00000 00 00000000.

00000 00000 00 0000 0000000 00000 0 0 00 0000, 0 0000 0000 0000000 0 0 00 00000. 0 00000 0000 00 00000 0000000. 00 0 0 00 00000 0000 0000000 00 00000 00 0000 00000 00000000 0000 0000 00000. 0000 00 00 00 0000 0000 0000 00 0000 0000 0000 00000. 00 0000 00000 0000 0 00 0 00 00000 00000.

00 0000 00 00000 00000 0000 000000. 0000 00 00 00 0000 0000, 0000 0000 0000 0000 00000 000000. 0 00000 00 0000 0 0000 00, 00 00, 0 0000 00 00000 0000 00, 0000 0 0000 00 0000 0000 0000 0000 0000 0000 0000.

00

1. 00 00000 “00 00”00
2. 0 00 00 0000 000000 00
3. 00 0000 00: 0000, 00, 00, 00000
4. 00 00 00: 00, 00, 00
5. 00 00 0 00 00 00 00
6. 00 0000 0000 0 00 0
7. [FAQ](#)
8. 00 00

00 00000 “00 00”00

00 0000 0 00 0000 0000 00000: 0000 0000 00000(0, 00 0000, 0000, 0), 0000 0000 00 0000 00, 00 00 0000 00 00000 00000 00. 00·00 000000 0 00 0000 00 0 00000 0000000. 0000 0000 00000 00 0000 0 0000 0 00, 0000 00 00 00 0000 0 0000 00 0 00000.

0000 0000 0000000 0000000. 0000000 0000 0000 0000 0000000. 00 00 0000 00 00, 0000 00 0 00 0000. 00 00 0000 0000 00 00 0 “00000 00000 00 0000 00 00 00 00 00 0000 0000000 000000 0000” 0000 0000000 ([16 CFR 00 423^{\[1\]}](#)). 0 00000 00 0 00000 00 0000 0000 0000000. 0000 00 00 0000 00000, 00 0000 0000 00 0000 00 0000 0000 0000.

00 00, 0000, 0000 00 00 0000 0 [00 0000 PU 00 0000 000000](#) 00000. 0 00 00 0000 00 00 0000 0000 0000 0000 0000 0000.



How to choose leather and fabric for jewelry

1. Leather: choose the right type of leather

Leather is a natural material that changes over time. It is important to choose the right type of leather for your jewelry. There are many types of leather, each with its own characteristics. Here are some of the most common types of leather used in jewelry:

- **Smooth leather:** This is the most common type of leather used in jewelry. It is smooth and has a uniform texture. It is easy to work with and can be finished in many ways.
- **Grained leather:** This type of leather has a textured surface. It is more durable than smooth leather and is often used for belts and bags. It can be finished in many ways, including with a wax or oil finish.
- **Patent leather:** This type of leather has a glossy finish. It is often used for shoes and handbags. It is not as durable as the other types of leather and can be scratched easily.

2. Fabric: choose the right type of fabric

Fabric is a natural material that changes over time. It is important to choose the right type of fabric for your jewelry. There are many types of fabric, each with its own characteristics. Here are some of the most common types of fabric used in jewelry:

- **Cotton:** This is the most common type of fabric used in jewelry. It is soft and comfortable to wear. It is easy to work with and can be finished in many ways.
- **Wool:** This type of fabric is made from the fibers of sheep. It is warm and soft. It is often used for sweaters and blankets.
- **Silk:** This type of fabric is made from the cocoons of silkworms. It is smooth and shiny. It is often used for dresses and blouses.

3. Leather and fabric combinations: choose the right combination

Leather and fabric are natural materials that change over time. It is important to choose the right combination of leather and fabric for your jewelry. Here are some of the most common combinations used in jewelry:

- **Leather and cotton:** This is a classic combination. It is soft and comfortable to wear. It is easy to work with and can be finished in many ways.
- **Leather and wool:** This combination is warm and soft. It is often used for sweaters and blankets.
- **Leather and silk:** This combination is smooth and shiny. It is often used for dresses and blouses.

- **注意:** 在缝合前，请务必将布料的边缘整理平整，并检查是否有异物。缝合过程中，请保持针线垂直，避免歪斜，以确保缝合质量。(参考“缝合与加固”部分的内容)。

4. 缝合: 前, 后, 侧缝 缝合

缝合前，请务必将布料的边缘整理平整，并检查是否有异物。

- **前缝:** 将布料平铺，将前片与后片对齐，准备缝合。
- **后缝:** 将布料平铺，将后片与侧片对齐，准备缝合。
- **侧缝:** 将布料平铺，将侧片与侧片对齐，准备缝合。

缝合技巧: 保持针线垂直，避免歪斜。



缝合技巧:

注意: 在缝合前，请务必将布料的边缘整理平整，并检查是否有异物。缝合过程中，请保持针线垂直，避免歪斜，以确保缝合质量。

注意: 缝合时，请务必保持针线垂直，避免歪斜。

缝合技巧: 保持针线垂直，避免歪斜。缝合过程中，请务必保持针线垂直，避免歪斜，以确保缝合质量。

1. 将布料平铺，将前片与后片对齐，准备缝合。
2. 将布料平铺，将后片与侧片对齐，准备缝合。

缝合时，请务必保持针线垂直，避免歪斜。

缝合技巧:

注意: 在缝合前，请务必将布料的边缘整理平整，并检查是否有异物。缝合过程中，请保持针线垂直，避免歪斜，以确保缝合质量。

注意: 缝合时，请务必保持针线垂直，避免歪斜。

0000 00: 00 0000 0000 00000 0000 00 0000 00 0000 0000 00 0000 0000. 00 00000 00 0000 00000, 0000 00 0000 00
 0 0000 00000 00 00 000000 0000. 00 0000 0000 0000 0 00 00000, 00000 00 00000 00000 0000 0000 0000 0 0000000.



0000 0

00: 0000 00 0 0000 00. 0000 00. 00 00 00 00 0000 00 00 00.

00: 00000 0000 00 0000 0 0000 0000 00000. 0000 0000 0000 0000 0 0 0000 000000 00000000.

0000 00: 000000. 0000 0000 0000 00 0000 0000000 00000. 00 0000 0000 000000, 0000 00 0000 0 000000. 0000 0000 0000 00
 00000 0000 0000.

0000000 0000

00: 0000 00 00000 0, 0 00 00 00. 00000 0000 0000 0000 0 0000 0 00 0000 00 00000 00000.

00: 00000 0000 00 00 0000 0000 00 0000 00 0 0 00 00 00000000. 0000 00 00000 0000 0000 0 00000.

0000 00: 00 0 0000 00000 0000 00 00 00 0000 0000 0 0000. 00 0000000 0000000 0000 0000 00000 00000 0000 00000. 0 00
 0000 0000. 00 00 0 0 0000 0000 00000 0000000, 00 0000 00 0000 00 0 0000 00 0000 00000 00000.

00 00 00: 00, 00 00, 00

00	0000 00	00 00	00	00 00	00 00 00
00 00 000	000, 00, 0000 00 00, 0 00	0000 00, 00 0 00 0	00, 00000000 00 00	0000 00, 00 0000 00 00	00000 00 00000 0000 00
00 00 0000 0 00 00000	00000, 0000, 00000	00 00	0000 00 00 0	00, 00 00 00 00	0000 00000 00, 00 00
00 00	0000 00, 0000, 00 00	00 00 00 0	00 0000, 00 00 00	00000 0000, 00 00 0 00	00 00000 00, 000000 0 0000 00

- 𐄀𐄀, 𐄀𐄀𐄀, 𐄀𐄀 𐄀𐄀. 𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀, 𐄀𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 RN𐄀 𐄀𐄀𐄀𐄀 (16 CFR 𐄀𐄀 303^[3]). [Textile World^{\[12\]}](#) 𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀.
- 𐄀𐄀 𐄀𐄀. 𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 [ASTM D5489 𐄀𐄀^{\[9\]}](#) 𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀. 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀 𐄀𐄀𐄀, 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀. FTC𐄀 [𐄀𐄀-𐄀𐄀 𐄀𐄀 𐄀𐄀^{\[2\]}](#) 𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀𐄀.
- 𐄀𐄀 𐄀𐄀. PU 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 “𐄀𐄀”𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. FTC𐄀 [𐄀𐄀-𐄀𐄀𐄀^{\[4\]}](#) 𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀 “𐄀𐄀” 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀.
- **EU** 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀. 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 VI 𐄀𐄀𐄀 3 mg/kg 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 (𐄀𐄀 (EU) 𐄀301/2014^[10]). 𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀𐄀𐄀𐄀. 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀 10𐄀, 2026𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 PFHxA 𐄀 𐄀 𐄀𐄀 25 ppb 𐄀𐄀, 𐄀𐄀 PFHxA 𐄀𐄀 𐄀𐄀 1,000 ppb 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 (ECHA, [REACH 𐄀𐄀𐄀 XVII 𐄀𐄀 79^{\[11\]}](#)). PU 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀𐄀.

FAQ

FAQ: 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀𐄀?

𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀, 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀𐄀𐄀 𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀, 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀.

FAQ: 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀, 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀?

𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀, 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀 𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀, 𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀. 𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀 𐄀 𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀.

FAQ: 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀?

𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀, 𐄀-𐄀𐄀-𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀𐄀𐄀. 𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀. 𐄀𐄀 𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀. 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀.

FAQ: 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀𐄀?

𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 PU𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀, 𐄀 𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀.

FAQ: 𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀?

𐄀𐄀 𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀. 𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀.

FAQ: 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 **EU** 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀?

𐄀. EU𐄀 𐄀𐄀 VI 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀𐄀, 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀𐄀𐄀. PFHxA 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀, 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀.

𐄀𐄀𐄀 𐄀𐄀𐄀

- 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. — 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀 (𐄀𐄀)
- 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀. — 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀 𐄀 𐄀𐄀𐄀 10𐄀, 𐄀𐄀 𐄀 𐄀𐄀𐄀 10𐄀 𐄀𐄀𐄀𐄀 (𐄀𐄀)
- **PO**𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. — ISO 11640 𐄀𐄀, 𐄀𐄀 𐄀 40 ± 2 𐄀𐄀𐄀 (𐄀𐄀)
- 𐄀𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀-𐄀𐄀𐄀-𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀𐄀𐄀 𐄀𐄀𐄀𐄀. — 𐄀𐄀 𐄀𐄀 𐄀𐄀𐄀 𐄀𐄀 𐄀𐄀 3𐄀 (𐄀𐄀)

