



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



000000 00 0 0 00: 00 0000 0 00 0000 00 00000 0000?

Details

00 00: 000000 00 0 0 0000 00 0, 0000 00 0000 00000 00 000000 0000000 00 0000 0000 000000 00 0000000 0 00 0000 00. 00 0000 000000 00 00000, 0000 00000, 00000 00000 0000 00000 00000 00000. 00000 00 0000 0000 000000 00(000 00) 0 0 00 00000. 0 00 0000 0 00 0000 000000. 0000 00000 0000, 00000 0000 00, 00 00 00 0000 00000 0000, 0000 00000 00 0000 00 00000 0000 000000.

00000 00 0000 0000 00000 “00”00 0 0000 00 00000. 0 0000 00 0 00 0000 0 00 00 0000 00000, 0000 00 00, 00, 00 0000 0 00 0000 000000. 00000 0000 00 0 0000 000000 00 00000 00000 00 00000. 000000 00 0 0 0000 0000 00 00000 00 00000.

00000 00 00000 0000 0000 00 0000000000 00 0000. 0000 0000(000 0000 0 00)0 0000 00, 0000 00000 00000 0 0 00 0000 0000 0. 000000 00 00 0000 00000. 0 00 00000 00 00000 “0 00000 00” 000000 0000 000000 0000 000000 0000 0000 00 0000 00 00000. 0 0000 0000 0000 0000 00 00 00 0000000000.

0 00000 000000, 0000, 0 00, 00 0000 00000 0000 0000000. 0 0000 00000 0000, 00, 0 0000, 00 00, 00 0000 00 0000 0000 0 00000, 0000 00 00 00 00000 0000 00 0 00000.

00

- [000000, 0000, 0 00, 0 0000 00000 00 00000?](#)
- [0000-00-0 00-00](#)
- [00-0000-00-00000](#)
- [000000-00-0 0-00 0000-00 \(0000 0 0 00 00\)](#)
- [FAQ](#)
- [00-00](#)

000000, 0000, 0 00, 0 0000 00000 00 00000?

00 0000 00 00000 30 0000 00000, 00 00, 00 0000, 00000000. 00 000000 0 0000 0000 00000 0000, 0 00 0000 0000 [0000-00](#) [00000](#) 00 0000 0000000. 0 00 00000 00 0000 00000, 0 00 00000 0000 0000 0 0000 000000 0000000.



PET 樹脂 100g, 100g 樹脂 100g 樹脂. 樹脂 100g 樹脂 0.4%樹脂. 樹脂 100g 樹脂
 100g 樹脂 100g 樹脂, 100g 樹脂 100g, 100g, 100g 樹脂 100g 樹脂 100g. 樹脂 100g 樹脂 250-260 °C樹脂 100g,
 樹脂 100g 樹脂 100g 樹脂 100g.

[illegible]

በ ስህተት ምክንያት ለሰው ጤንነት ምንም ዓይነት ጉዳት ሊፀፍም አይችልም፡፡ በሌላ በኩል ለሰው ጤንነት ምንም ዓይነት ጉዳት ሊፀፍም አይችልም፡፡ በሌላ በኩል ለሰው ጤንነት ምንም ዓይነት ጉዳት ሊፀፍም አይችልም፡፡

[illegible]

□□□ □□ □ □□ □□: □□□□ □□□ □□□ □□

[illegible]



4： 4000 0 000 00 000 000000. 00000 [ISO 105-B02:2014^{\[2\]}](#) 0 0000, 00 0000 0000 00 0 00 0000 0000 00 00 0 0000 00 000000. “00 4”00 00000 0000 00 0000 0000 00 0000 0000 0000 0000 0000 0000. 00 0000 00 00 0000 0000 00000 00000 00 00000. 0 0000 ISO 00 00000000 00000, [ISO/TC 38^{\[3\]}](#) 0 ISO 105 00000 00 0000 0000000, 00 0 0 00 0000 00000 000000 00 0000 0 00000.

5： 0000 00 00 00 0000 000000. “00” 00 “00 00”0 00000 00000 0000 0000 00000 00 0 00000. EU0000 100 00 20260000 00 0 00 000000 00000 PFHxA 0000 25 ppb 0000 00 00000 REACH 0000 000000 ([Textile School 00^{\[4\]}](#)). 0 0 0000 [Regulation \(EC\) No 1907/2006^{\[5\]}](#). 000000 2026 PFAS PFAS 0000 00 00 0000 00, 00 0000 0000 0000 00 0 0 0000 00000 0000 0000 ([Adhesives & Sealants Industry^{\[6\]}](#)). 0000000 000 OEHHAA 80 0000 20250 00000 S0 00 00 00 0000000 00000, 00 00000 0000 00000 0 0 0000 000000 ([OEHHA 00^{\[7\]}](#)). 00 00 00 0000 00 00 00000 0000 0 0000, 0 0000 00-0000-00-00000-00000.

6： 00 00 00000 0000 0000000. 00000000 0000 200 00000 0000 00000 000000. 0000 00 0000 0000 0000 00 0 0000 00000 00 0000. 00 0000 0000 00 0000 00, 00000 00 00 0000 0000 000000. 00 0000 0000 0000 00 00000 00000 00000, 0000 0000 0 0 00000 00 0000000 0000 0000000 0000 00 0 00000. 00 0000 0000000 00 00, 00, 00, 0000 00 00000 00000.

0000000 00 0 0 00, 0000 0 0 00 00: 0000 00

00 00 00000 0000 000000. 00 00000 0000 00 0 00 0000 00 0000 00000, 00 0000 00 0000 00000. 00 0000 0000 0000 00 00 00 000000 0000000.

00	000000 00	0000 00	0 00 00	00 00
00000 00	00000, 0000 00 0000 0000 00	00000, 00000 00	00000 00 0000	0000 00 00000
00000 0000(000 00)	0000 00 0 00; 0000 0000 00 00	00; 00 00 0000	00	0000 0000 00000 00 00
00 0 00 00	00; 00 0000 00 0000 0000	0 00 0 00 00	00~00	0000 00000 00
00 00	00 00; 00 00 0000 00 0000 0	00 00 00 00 00	00, 00 0000 00	00 0000 0; 0000 00 00
00 0000(0000)	~0.4%	~1.5%	00 0000 00 00	~15-16%
00 00	0000 0000 0 00	00 00 00	00 0000 00 00	00000 00 00000 00

