



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Product Image













Details

These asset tags are made of high-quality metal and are designed to be durable and long-lasting. They are available in a variety of colors and sizes to meet your specific needs. The tags are easy to read and can be used to identify and track your assets throughout their lifecycle.

These asset tags are made of high-quality metal, and are available in a variety of colors and sizes. [↑](#)

These asset tags are made of high-quality metal and are designed to be durable and long-lasting. They are available in a variety of colors and sizes to meet your specific needs. The tags are easy to read and can be used to identify and track your assets throughout their lifecycle. [↑](#)

These asset tags are made of high-quality metal and are designed to be durable and long-lasting. They are available in a variety of colors and sizes to meet your specific needs. The tags are easy to read and can be used to identify and track your assets throughout their lifecycle. [↑](#)

ພື້ນ ພື້ນ ພື້ນ Code 128, QR ພື້ນ Data Matrix ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ, ພື້ນ, ພື້ນ, ພື້ນ, ພື້ນ ພື້ນ ພື້ນ MIL-STD-130 ພື້ນ, ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ	ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ
---	---

ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ, ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ.

ພື້ນ 2: ພື້ນ ພື້ນ ພື້ນ ພື້ນ, ພື້ນ ພື້ນ ພື້ນ ພື້ນ

ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. Camcode ພື້ນ Metalphoto ພື້ນ ພື້ນ^[15] ພື້ນ 0.003, 0.005, 0.008 in ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ.

ພື້ນ ພື້ນ ພື້ນ ພື້ນ 34 dynes/cm ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ JTT Logos ພື້ນ 3M 300LSE ພື້ນ LSE ພື້ນ ພື້ນ^[16] ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ, MPC ພື້ນ 0.063 in ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ^[17]. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ.



ພື້ນ 3: ພື້ນ ພື້ນ ພື້ນ ພື້ນ

ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ, ພື້ນ ພື້ນ, ພື້ນ, ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ, ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ, ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ, ພື້ນ ພື້ນ ພື້ນ UV ພື້ນ ພື້ນ ພື້ນ 4 ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ. ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ ພື້ນ.



圖 4: 圖 — 圖, 圖, 圖

圖圖 圖圖 Stryker 圖 圖圖 圖圖圖圖: 圖, 圖 圖圖 圖 圖 圖 圖^[19]. 圖 圖圖 圖 圖圖圖圖 圖 圖圖 圖圖圖 圖圖圖圖 圖圖圖 圖 圖圖 圖圖圖.

圖圖圖圖 圖 圖圖 圖圖 圖 圖圖圖圖. 圖圖圖圖 MOQ, 圖 圖, 圖 圖圖 圖圖圖圖圖. 圖圖 圖圖 圖圖 圖圖圖 圖 圖圖 圖圖圖圖 圖圖圖 圖圖.



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20
 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60

[illegible][illegible][illegible]

						:
--	--	--	--	--	--	---

- 00 0000 00 00 00 00: 00000000 00000000.
- 00 00 00 000 00 000 000 000000, 00 00 000 0000 0000 000 00000000.
- 00, 0000 00, 00 00 00 00 **MIL-STD-130** 000000 00 000 000000 0000, 000000 00 000 00000000.
- 000 00000 000 00 00 00 00 00: 0000000 00000000.

□□□ □□□ □ □□ □□□ □□□□. □□□ □□□ □□□□ □□ □□ □□ □□□ □□□ □□ □□□□□□.

[illegible]

□□ □ □□ □□□ □□□? [↑](#)

- 2025 2024 2023 2022 2021 2020 — GG-P-455B 400 Weatherometer 2020(2020)
- 2020 2020 2020 2020 — 1-3(2020)
- 2020 2020 2020 2020 2020 2020 2020 2020 2020 2020.
- 2020 2020 2020 2020 2020 2020 2020 2020 2020 2020.
- 2020 2020 2020 2020 2020 2020, 2020 2020 2020 2020.
- 2020 2020 2020 2020 2020 2020 2020 — 48.5%, 2025 2020 USD 980.5 2020 2020 2020(2020)

如何 在 不同 系统 中 使用 同一 个 数据 集? [↑](#)

如何 在 不同 系统 中 使用 同一 个 数据 集? 在 不同 系统 中 使用 同一 个 数据 集, 是 一个 非常 重要 的 问题, 也是 一个 非常 复杂 的 问题. 在 不同 系统 中 使用 同一 个 数据 集, 是 一个 非常 重要 的 问题, 也是 一个 非常 复杂 的 问题.

[1]Metalphoto: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[4]Metal Marker: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[5]如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[6]Detroit Name Plate: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[8]Facilities Dive: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[9]MPC: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[10]Pannier: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[11]Camcode: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[12]GG-P-455B: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[13]DFARS 211.274: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[14]Seton: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[15]Camcode 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[16]JT Logos: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[17]MPC 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[19]Stryker: Metalphoto 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[21]ISO/IEC 15415:2024: 2D 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[22]Metalphoto ISG 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[23]UL 969 Ed. 6: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[24]Oxmaint: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[25]Hardware Asset Management: 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[27]Stryker 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

[29]Metal Marker 如何 在 不同 系统 中 使用 同一 个 数据 集. [↵](#)

Product Option