



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Product Image











በጣም ጥሩ ሲሆን በጣም ጥሩ ነው።

የጣም ጥሩ ሲሆን በጣም ጥሩ ነው? [↑](#)

የVOC መጠን በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። 3M የጣም ጥሩ ሲሆን በጣም ጥሩ ነው። ^[6] ጣም, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። “የVOC መጠን በጣም ጥሩ ሲሆን በጣም ጥሩ ነው, ጣም, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው።

በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። በጣም ጥሩ ሲሆን በጣም ጥሩ ነው, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው።

በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። በጣም ጥሩ ሲሆን በጣም ጥሩ ነው, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። **MOQ**, በጣም, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። በጣም ጥሩ ሲሆን በጣም ጥሩ ነው።



በጣም

- [በጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)
- [የጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)
- [በጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)
- [በጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)
- [በጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)
- [በጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)
- [በጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)
- [በጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)
- [በጣም ጥሩ ሲሆን በጣም ጥሩ ነው?](#)

በጣም ጥሩ ሲሆን በጣም ጥሩ ነው? [↑](#)

በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። በጣም ጥሩ ሲሆን በጣም ጥሩ ነው, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። በጣም ጥሩ ሲሆን በጣም ጥሩ ነው።

በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። በጣም ጥሩ ሲሆን በጣም ጥሩ ነው, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው, በጣም ጥሩ ሲሆን በጣም ጥሩ ነው። በጣም ጥሩ ሲሆን በጣም ጥሩ ነው።

0 0 000000. 00000 000 00000 00 00 0000 0000 00000. 00000 0000 0000 0000 0000 00000. 0 00 00000 00 00 00 00 0 0000 0000000. 00000 000, 00000 00 0000000. Riot Color^[11] 0 000 000 000 00000 00 000000 "000 000 000 000 00 00 000"0 000000.

mil mil **mm** mm. 1 mil = 0.001 mm, 3 mil = 0.76 mm, 3 mm = .003 m.

00 000 00 000 00 000 000000. Avery Dennison MPI 2600 00000^[13] 0 2025 12 000000, 00 00000000 00 0
 00 000 000 00 000 00 3000 000000. GF 226 WallMark 00000^[14] 00 00 000 50, 000 00 00 00 10, ASTM E84
 Class A 00 00 ASTM E84 00000 00000. 000000 0 00 000 000000. 0 Decals.com 00 000^[15] 0 00 000 3-50, 000
 000 00 7-10000 000000. 000 000 00 000 00000 00 000 000000 000 000.

□□□□ □□ □□□□ □□ □□, □□, □□ □□ □□□□ □□□□ □□□□? [↑](#)

1:

[illegible]

በጣም ጥንቃቄ በሆነ መንገድ ለጥናቱ ምርመራዎችን አድርገናል። Printleaf^[18] በጣም ጥንቃቄ በሆነ መንገድ 52 ጥናቶችን አድርገናል፣ በጣም ጥንቃቄ በሆነ መንገድ 0.4 ጥናቶችን አድርገናል። በጣም ጥንቃቄ በሆነ መንገድ ለጥናቱ ምርመራዎችን አድርገናል። በጣም ጥንቃቄ በሆነ መንገድ ለጥናቱ ምርመራዎችን አድርገናል።



□□ **2:** □□□□ □□□ □□□

[illegible]

00, 0VOC 00 0000 0000 00 00 0 300 00 000 0 00 000 00 0000, 00, 00 00, 00	00 00 000000 0000 0000 00000, 0 0000 0000 00 0000 00000. 00 00 00000 0000 00000 0000000. 0000 0000 00 00 0000 00000, 0 0000 0000 00 000 00 00000 000000 00000 00
--	--


00 0000 0000 00 00 0000, 00 0000 00 000000 000000. Arlon 0 39^[20] 0000 0000 00 0 2400 0 00000 0000 00000, 00 00 0 0 00000 000000 0000000 0000000 0000000. 0000 0000 00 3M^[21] 000000 00 000000^[21] 0 MCS 00 0000 000000 0000 00000 1,000 g(1500 00)00 0000000. 0000 00 0000 00 Wallhogs^[22] 0 Photo-Tex EXS 0000 00 0000 00 0000 000000 00000, 0000, 00 0, 00 0000 0000000. 00 0 0000 0000 00 0000 00 0000 00 00 00 0000000.



00 3: 00000 00 00

00000 00	00 00	00 00	00000 00
00, 0000, 00 AI, EPS, SVG, 00 PDF	0000 000000 00		00 00, 00 00
00, 00000	00000 PNG, JPG 00 PDF	00 00000 00 150 dpi; 00000 0 00 300 dpi	00 0 0000
00000 00	00000 0000 PDF	00 1/8 in(0 3 mm) 0000	00 0 0 0000
0000 00	00 000000 00 0000	00 0000 0000 00000 00	0000000 00 00

0 0000 0000 00 00 00000000 0000000. Decals.com 00 0000^[23] 0 00 000000 150 dpi 0000 0000 0000 00000, 00 0000000 00 0 000000 0000000. Wall Decal World FAQ^[24] 0 300 dpi^[24] 0000000. 00 00 00000 0 00 000000 300 dpi^[24] 0000000. 0 00000 0 4800 00 0000 00 0 14,4000000 0000000. Printleaf^[25] 00 00^[25] 0 0 1/800 000000 0000000. 00 00 00, 0000 00, 00 00, 0000 00 0000 00 0000 0 0000 0000000.



4:

Decals.com ^[26] 50°F 65-90°F 180 4OVER4 ^[27]

?
 [↑](#)

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

Jessup ^[28]



በቤትዎ ውስጥ ወይም በቤትዎ ውጭ በማንኛውም ቦታ ለማሳለፍ ምሽግ ማድረግ ይቻላል፡፡ ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡ ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡

- ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡
- ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡
- ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡
- ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡
- ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡



በቤትዎ ውስጥ ወይም በቤትዎ ውጭ በማንኛውም ቦታ ለማሳለፍ ምሽግ ማድረግ ይቻላል፡፡ ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡ ለዚህ ምሽግ ለማድረግ ለእርስዎ ለሚገባው ምሽግ ማድረግ ይቻላል፡፡

DEHP PVC . PVC . GF 226 ASTM E84 Class A UL 2818 / GREENGUARD .

- 00 00 0000 0 0 00 000 — \$650 (00) 0 20250 \$3.2 (00)
- 0000 00000 00 00 000 00 000 00000 — 00 000 3-40, 0 00 300 (00)
- 000 00000 00 000 0000 0000 — 1,000 g, 1500, 3M MCS 000 (00)
- 00 00 0000 0000 00000 — 00 150 dpi; 000 000 300 dpi (00)
- 000 0000 00 0 000 00000 — 000 00 0 0 100 ppm (00)

□□□ □□ □□□ □□□ □□□ □□□□? [↑](#)

[illegible]

^[2] PW Consulting: [PW Consulting: 100000000, 2026](#). [↗](#)

^[3]MarketIntelto: [www.marketintelto.com](#). ↩

^[4]Custom Sticker Shop: [www.customsticker.com](#). ↩

[6] 3M Instruction Bulletin 5.37: [3M 3M 3M 3M 3M 3M](#). ↩

^[11]Riot Color: , , . [↩](#)

^[12]Decals.com 00 0000: mil 0000 000000 00000 0000 0 00 00. ↗

^[13] Avery MPI 2600: [www.averydennison.com](#), 2025. 12 pp. [↗](#)

^[14]GF 226 WallMark: 1/2" 1/4", 1/2" 1/4", ASTM E84 ASTM E84 1/2". [↗](#)

^[15]Decals.com 00 000: 00 0 0000 00 00 000. [↗](#)

^[16]Hyper Creative: ☐, ☐, ☐, ☐ ☐ ☐ ☐ . [↩](#)

^[17] JiffDiff: 00 00 0 000 0000 000. [↩](#)

^[18]Printleaf:                                                                                                       

^[19]Wall Decal World 世界墙贴: 世界墙贴 世界墙贴. [↗](#)

[20] Arlon Tip 39: [How to Write a Good Paper](#). ↩

[illegible]

^[22] Wallhogs: 如何 在 墙上 贴 海报 纸. [↩](#)

^[23] Decals.com 如何 贴 海报: 如何 贴 海报 纸 150 dpi 海报. [↩](#)

^[24] Wall Decal World FAQ: 如何 贴 海报 300 dpi 海报 纸 海报. [↩](#)

^[25] Printleaf 如何 贴: 如何 贴 海报 纸 海报 纸. [↩](#)

^[26] Decals.com 如何 贴 海报: 如何 贴 海报 纸 海报 纸. [↩](#)

^[27] 4OVER4: 如何 贴 海报 纸 海报 纸 海报 纸. [↩](#)

^[28] Jessup: 如何 贴 海报 纸 海报 纸 海报. [↩](#)

^[30] Decals.com 如何 贴 海报: 如何 贴 海报 纸 海报 纸 海报. [↩](#)

^[31] eSigns: 如何 贴 海报 纸 海报 纸. [↩](#)

^[32] eCFR 16 CFR 1252.1: 如何 贴 海报 纸 海报 纸 海报. [↩](#)

^[33] CPSC: 如何 贴 海报 纸 海报 纸. [↩](#)

^[34] SEMA: Proposition 65 如何 贴 海报 纸 DEHP 海报. [↩](#)

^[35] UL GREENGUARD: UL 2818 如何 贴 海报 纸 海报. [↩](#)

Product Option